















SPECIFICATIONS

	GEOLOGY	Limestone
	TYPE	100% rock-faced
	PATTERN	2:1
	HEIGHTS	2-1/2", 5"
	LENGTHS	6" - 20" (Crated or palletized material can exceed 20")
	DEPTHS	3/4" to 1-1/4"
	COLORS	Cream, White
	COVERAGE	
	WEIGHT	11 lbs per square foot
	FLATS	10 s/f Box, 100 s/f Crate, 180 s/f Crate
	CORNERS	10 ln/ft Box, 100 ln/ft Crate
	NOTES	Available in thin veneer only • Crated or palletized material can exceed 20"

ASTM C-97

Water Absorption %	4.25
Bulk Specific Gravity	2.69

ASTM C-170

Parallel to Rift, Dry (psi)	119157
Parallel to Rift, Wet (psi)	115754
Perpendicular to Rift, Dry (psi)	
Perpendicular to Rift, Wet (psi)	

ASTM C-99

Parallel to Rift, Dry (psi)	
Parallel to Rift, Wet (psi)	

ASTM C-880

Perpendicular to Rift, Dry (psi)	
Perpendicular to Rift, Wet (psi)	



GOLD QUARRIER
 ANSI/NSC 373-2013
 C0290908-101



GOLD FABRICATOR
 ANSI/NSC 373-2013
 C0289215-101